

**IN THE UNITED STATES DISTRICT COURT  
FOR THE SOUTHERN DISTRICT OF WEST VIRGINIA  
CHARLESTON DIVISION**

<b>IN RE: ETHICON, INC., PELVIC REPAIR SYSTEM PRODUCTS LIABILITY LITIGATION</b>	<b>Master File No. 2:12-MD-02327</b>
<b>THIS DOCUMENT RELATES TO: WAVE 10 CASES</b>	<b>MDL 2327 JOSEPH R. GOODWIN U.S. DISTRICT JUDGE</b>

**DEFENDANTS' NOTICE OF FILING OF AMENDED JOINT VENUE  
RECOMMENDATIONS**

---

Defendants Ethicon, Inc. and Johnson & Johnson hereby give notice of filing Amended Joint Venue Recommendations for Wave 10 MDL cases.

Dated: April 19, 2019

Respectfully submitted,

/s/ William M. Gage

William M. Gage (MS Bar No.  
8691)

Butler Snow LLP

1020 Highland Colony Parkway  
Suite 1400 (39157)

P.O. Box 6010

Ridgeland, MS 39158-6010

(601) 985-4561

[william.gage@butlersnow.com](mailto:william.gage@butlersnow.com)

/s/ Susan M. Robinson  
Susan M. Robinson (W. Va. Bar  
No. 5169)  
Thomas Combs & Spann PLLC  
300 Summers Street  
Suite 1380 (25301)  
P.O. Box 3824  
Charleston, WV 24338  
(304) 414-1800  
[srobinson@tcspllc.com](mailto:srobinson@tcspllc.com)

*Counsel for Defendants Ethicon,  
Inc., and Johnson & Johnson*

**CERTIFICATE OF SERVICE**

I certify that on this day, I electronically filed this document with the clerk of the court using the CM/ECF system, which will send notification of this filing to CM/ECF participants registered to receive service in this MDL.

/s/ William M. Gage  
William M. Gage